






#### FortiGate® 3700D

High Performance Data Center Firewall



# FortiGate 3700D

FortiGate 3700D and 3700D-DC

The FortiGate 3700D high performance, high capacity data center firewall provides exceptional performance of 160 Gbps and ultra-low latency, ensuring your data center security solution doesn't become your data center bottleneck.

# Eliminate Security Bottlenecks

It delivers this breakthrough performance and protection in a compact 3U form factor with four 40 GE and 28 10 GE interfaces that preserves scarce rack space while maximizing capacity. Powered by the new FortiASIC NP6 processor, the FortiGate 3700D is the first data center appliance to deliver performance parity for IPv4 and IPv6 traffic and dramatically increases VPN performance, enabling you to keep pace with your evolving network.

#### Flexible Deployment

The FortiGate 3700D gives you the flexibility to choose the firewall personality that best fits your requirements at the Edge or Core. You can take advantage of the high port density for physical segmentation of your network, as well as the virtual domains (VDOMs) for virtual segmentation.

# Highlights

Firewall Performance	IPS Performance	Interfaces
160 Gbps	23 Gbps	Multiple 40 GE QSFP+, 10 GE SFP+, GE SFP and GE RJ45

# Performance and Reliability for High Bandwidth Networks

- Breakthrough IPv4 to IPv6 firewall performance parity
- Flexible firewall personalities enable deployment at the Edge or Core
- Compact 3U footprint conserves rack space and minimizes energy consumption
- Freedom to add integrated security technologies (such as IPS, App Control, VPN)
- Cloud-ready multi-tenant support and APIs for rapid orchestration
- FortiOS 5 delivers the most complete, battle-tested set of security functions to protect your network and data
















## **HARDWARE**





#### Interfaces

- 1. USB Management Port
- 2. USB Port
- 3. Console Port
- 4. 2x GE RJ45 Management Ports
- 5. 4x 40 GE QSFP Slots

- 6. 20x 10 GE SFP+ / GE SFP Slots
- 7. 8x 10 GE SFP+ Slots (Ultra-low latency)



## Powered by FortiASICs

- Custom FortiASIC<sup>TM</sup> processors deliver the power you need to detect malicious content at multi-Gigabit speeds
- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- FortiASIC processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

#### **Network Processor**

Fortinet's new, breakthrough FortiASIC NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 2 microseconds
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

#### Content Processor

The FortiASIC CP8 content processor works outside of the direct flow of traffic, providing high-speed cryptography and content inspection services including:

- Signature-based content inspection acceleration
- Encryption and decryption offloading

### 40 GE Connectivity for Core Infrastructure

High speed connectivity is essential for network security segmentation at the core of data networks. The FortiGate 3700D provides one of the highest 40 GE and 10 GE port densities in the market, simplifying network designs without relying on additional devices to bridge desired connectivity.

2 www.fortinet.com

## **SOFTWARE**



FortiOS Managment UI — FortiView and Application Control Panel

#### **FortiOS**

FortiOS helps you protect your organization against advanced threats, configure and deploy your network security faster and see deep into what's happening inside your network. It enables organization to set up policies specific to types of devices, users and applications with industry-leading security capabilities. FortiOS leverages custom FortiASICs and the Optimum Path Processing architecture of FortiGate to deliver 5 times faster throughput performance. In essence, FortiOS delivers:

- Comprehensive Security Control thousands of applications and stop more threats with NSS Labs Recommended IPS, sandboxing, VB100 certified antimalware and more.
- Superior Control and Visibility Stay in control with rich
  visibility over network traffic, granular policy control, and intuitive,
  scalable security and network management.
- Robust Networking Capabilities Optimize your network with extensive switching and routing, high availability, WAN optimization, embedded WiFi controller, and a range of virtual options.



For more information, please refer to the FortiOS data sheet available at www.fortinet.com

## **SERVICES**

# FortiGuard™ Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations, other network and security vendors, as well as law enforcement agencies:

- Real-time Updates 24x7x365 Global Operations research security intelligence, distributed via Fortinet Distributed Network to all Fortinet platforms.
- Security Research FortiGuard Labs have discovered over 170 unique zero-day vulnerabilities to date, totaling millions of automated signature updates monthly.
- Validated Security Intelligence Based on FortiGuard intelligence, Fortinet's network security platform is tested and validated by the world's leading third-party testing labs and customers globally.



For more information, please refer to http://forti.net/guard

# FortiCare<sup>™</sup> Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East and Asia, FortiCare offers services to meet the needs of enterprises of all sizes:

- Enhanced Support For customers who need support during local business hours only.
- Comprehensive Support For customers who need aroundthe-clock mission critical support, including advanced exchange hardware replacement.
- Premium Services For global or regional customers who need an assigned Technical Account Manager, enhanced service level agreements, extended software support, priority escalation, on-site visits and more.
- Professional Services For customers with more complex security implementations that require architecture and design services, implementation and deployment services, operational services and more.



For more information, please refer to http://forti.net/care

# **SPECIFICATIONS**

	FORTIGATE 3700D
Interfaces and Modules	
40 GE QSFP Slots	4
10 GE SFP+ / GE SFP Slots	20
10 GE SFP+ Slots (Ultra-low Latency)	8
GE RJ45 Management Ports	2
USB Ports (Client / Server)	1/1
Console Port	1
Internal Storage	960 GB
Included Transceivers	2x SFP+ (SR 10GE)
System Performance and Capacity	
Firewall Throughput (1518 / 512 / 64 byte, UDP)	160 / 160 / 110 Gbps
IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)	160 / 160 / 110 Gbps
Firewall Latency (64 byte, UDP)	2 µs
Firewall Throughput (Packet per Second)	165 Mpps
Concurrent Sessions (TCP)	50 Million
New Sessions/Second (TCP)	400,000
Firewall Policies	100,000
IPsec VPN Throughput (512 byte)	100 Gbps
Gateway-to-Gateway IPsec VPN Tunnels	40,000
Client-to-Gateway IPsec VPN Tunnels	64,000
SSL-VPN Throughput	10 Gbps
Concurrent SSL-VPN Users (Recommended Maximum)	30,000
IPS Throughput	23 Gbps
Antivirus Throughput	7.5 Gbps
CAPWAP Clear-text Throughput (HTTP)	12.30 Gbps
Virtual Domains (Default / Maximum)	10 / 500
Maximum Number of FortiAPs (Total / Tunnel Mode)	4,096 / 1,024
Maximum Number of FortiTokens	5,000
Maximum Number of Registered FortiClients	20,000
High Availability Configurations	Active / Active, Active / Passive, Clustering

	FORTIGATE 3700D
Dimensions and Power	
Height x Width x Length (inches)	5.25 x 17.2 x 22.8
Height x Width x Length (mm)	133 x 437 x 579
Weight	46.9 lbs (21.3 kg)
Form Factor	3 RU
AC Power Supply	100–240V AC, 50–60 Hz
DC Power Supply (FG-3700D-DC)	48-72V DC
Power Consumption (Average / Maximum)	725 / 870 W
Heat Dissipation	2,970 BTU/h
Redundant Power Supplies	Yes, Hot Swappable
Operating Environment and Certifications	
Operating Temperature	32-104°F (0-40°C)
Storage Temperature	-31–158°F (-35–70°C)
Humidity	20–90% non-condensing
Operating Altitude	Up to 7.400 ft (2.250 m)
Compliance	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN

Note: All performance values are "up to" and vary depending on system configuration. Antivirus performance is measured using 44 Kbyte HTTP files. IPS performance is measured using 1 Mbyte HTTP files. IPsec VPN performance is based on 512 byte UDP packets using AES-256+SHA1. Antivirus Throughput is measured in proxy mode.

For complete, up-to-date and detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet.

# ORDER INFORMATION

Product	SKU	Description
FortiGate 3700D	FG-3700D	4x 40 GE QSFP+ slots, 28x 10 GE SFP+ slots, 2x GE RJ45 Management, FortiASIC NP6 and CP8 hardware accelerated, 960 GB onboard storage, and dual AC power supplies.
FortiGate 3700D-DC	FG-3700D-DC	4x 40 GE QSFP+ slots, 28x 10 GE SFP+ slots, 2x GE RJ45 Management, FortiASiC NP6 and CP8 hardware accelerated, 960 GB onboard storage, and dual DC power supplies.
Optional Accessories		
1 GE SFP LX Transceiver Module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP SX Transceiver Module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Short Range	FG-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Long Range	FG-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
40 GE QSFP+ Transceivers, Short Range	FG-TRAN-QSFP+SR	40 GE QSFP+ transceivers, short range for all systems with QSFP+ slots.
40 GE QSFP+ Transceivers, Long Range	FG-TRAN-QSFP+LR	40 GE QSFP+ transceivers, long range for all systems with QSFP+ slots.
AC Power Supply	SP-FG3700D-PS	AC power supply for FG-3700D.
DC Power Supply	SP-FG3700D-DC-PS	DC power supply for FG-3700D.



GLOBAL HEADQUARTERS Fortinet Inc. 899 Kifer Road Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 120 rue Albert Caquot 06560, Sophia Antipolis, France Tel: +33.4.8987.0510

APAC SALES OFFICE 300 Beach Road 20-01 The Concourse Singapore 199555 Tel: +65.6513.3730

LATIN AMERICA SALES OFFICE Prol. Paseo de la Reforma 115 Int. 702 Col. Lomas de Santa Fe, C.P. 01219 Del. Alvaro Obregón México D.F. Tel: 011-52-(55) 5524-8480

Copyright® 2015 Fortinet, Inc. All rights reserved. Fortinet®, FortiCare® and FortiCare® and FortiCare® and FortiCare® and Forticare® and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics stated herein, Network variables, different network environments and other results may vary and may be significantly less effective than the metrics stated herein. Network variables, different network environments and other results may vary and may be significantly less effective than the metrics stated herein. Network variables, different network environments and other results may vary and may be significantly less effective than the metrics stated herein. Network variables, different network environments and other results may vary and may be significantly less effective than the metrics expected to the extent Fortinet enters as brinding written contract. Signed by Fortinet's General Coursel, with a purchaser that expressey warrants that the identified product will perform according to certain expressey-identified performance metrics expressey identified in such brinding written contract all be brinding on Fortinet and any such commitment shall be limited by the disclaimers in this paragraph and other limitations in the written contract. For absolute darity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests, and in no event will Fortine the responsible for events or issues that are outside of its reasonable control. Notwithstanding anything to the contrary, Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applic