



DATA SHEET

FortiGate® 600C

High Performance, Top-rated Network Security for Mid-sized Enterprises



FortiGate 600C

FG-600C and 600C-DC

Roughly half of all cyber attacks target mid-sized or smaller businesses and the attack landscape continues to grow with higher volume and sophistication. Plus, network bandwidth requirements are still doubling every 18 months. Mid-sized enterprises need network security that delivers industry-leading high-speed performance and next generation security effectiveness.

5 Times Next Generation Performance

The FortiGate 300C appliance delivers superior performance through a combination of purpose-built FortiASIC[™] processors, high gigabit port density and consolidated security features from the FortiOS[™] operating system. It delivers 5 times better next generation firewall performance compared to alternate products and provides the best price/performance in the industry.

Deeper Visibility and Top-rated Security

This breakthrough threat prevention performance allows organizations to run NSS Labs Recommended intrusion prevention and application control and VB100 certified anti-malware capabilities for deeper inspection. Rich console views and reports together with a flexible policy engine provide the visibility and control to empower employees yet secure your enterprise.

Finally, these features of the FortiGate FortiOS Network Security Platform are routinely validated by independent real-world tests and consistently getting superior ratings in security effectiveness.

Highlights

Firewall Performance	IPS Performance	Interfaces
16 Gbps	4 Gbps	Multiple GE RJ45, GE SFP and GE RJ45 Management

Features & Benefits

- 5 times faster hardware accelerated next generation firewall offers best-in-class price/performance ratio
- Integrated high port density delivers maximum flexibility and scalability
- NSS Labs Recommended NGFW and NGIPS with consolidated security delivers top-rated protection
- Application control plus identity and device-based policy enforcement provides more granular protection
- Intuitive management interface enables broad and deep visibility that scales from a single FortiGate to thousands








HARDWARE

FortiGate 600C





Interfaces

- 1. USB Port
- 2. USB Management Port
- 3. Console Port
- 4. 2x GE RJ45 Ports

- 5. 2x Bypass Interface Pairs
- 6. 16x GE RJ45 NP4 Accelerated Ports
- 7. 4x Shared Media Interface Pairs



Powered by FortiASICs

- Custom FortiASIC[™] processors deliver the power you need to detect malicious content at multi-Gigabit speeds.
- Other security technologies cannot protect against today's wide range of content and connection-based threats well because they rely on general-purpose CPUs, causing a dangerous performance gap.
- FortiASIC processors provide the performance needed to block emerging threats, met rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck.

Content Processor

The FortiASIC CP8 content processor works outside of the direct flow of traffic, providing high-speed cryptography and content inspection services including:

- Signature-based content inspection acceleration
- Encryption and decryption offloading

Network Processor

FortiASIC NP4 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4 traffic with ultra-low latency down to 3 microseconds
- VPN acceleration

SOFTWARE



FortiOS Managment UI - FortiView and Application Control Panel

FortiOS

FortiOS helps you protect your organization against advanced threats, configure and deploy your network security faster and see deep into what's happening inside your network. It enables organization to set up policies specific to types of devices, users and applications with industry-leading security capabilities. FortiOS leverages custom FortiASICs and the Optimum Path Processing architecture of FortiGate to deliver 5 times faster throughput performance. In essence, FortiOS delivers:

- Comprehensive Security Control thousands of applications and stop more threats with NSS Labs Recommended IPS, sandboxing, VB100 certified antimalware and more.
- Superior Control and Visibility Stay in control with rich visibility over network traffic, granular policy control, and intuitive, scalable security and network management.
- Robust Networking Capabilities Optimize your network with extensive switching and routing, high availability, WAN optimization, embedded WiFi controller, and a range of virtual options.

For more information, please refer to the FortiOS data sheet available at www.fortinet.com

SERVICES

FortiGuard[™] Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations, other network and security vendors, as well as law enforcement agencies:

- Real-time Updates 24x7x365 Global Operations research security intelligence, distributed via Fortinet Distributed Network to all Fortinet platforms.
- Security Research FortiGuard Labs have discovered over 170 unique zero-day vulnerabilities to date, totaling millions of automated signature updates monthly.
- Validated Security Intelligence Based on FortiGuard intelligence, Fortinet's network security platform is tested and validated by the world's leading third-party testing labs and customers globally.

For more information, please refer to http://forti.net/guard

FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East and Asia, FortiCare offers services to meet the needs of enterprises of all sizes:

- Enhanced Support For customers who need support during local business hours only.
- Comprehensive Support For customers who need aroundthe-clock mission critical support, including advanced exchange hardware replacement.
- Premium Services For global or regional customers who need an assigned Technical Account Manager, enhanced service level agreements, extended software support, priority escalation, on-site visits and more.
- Professional Services For customers with more complex security implementations that require architecture and design services, implementation and deployment services, operational services and more.
 - For more information, please refer to http://forti.net/care

SPECIFICATIONS

	FORTIGATE 600C	
Interfaces and Modules		
Accelerated 10/100/1000 Interfaces (RJ45)	16	
Accelerated GE SFP or 10/100/1000 Shared Interfaces	4	
Accelerated 10/100/1000 Bypass Interfaces	2 pairs	
10/100/1000 Management Interfaces	2	
Maximum Network Interfaces	24	
Internal Storage	60 GB	
Included Transceivers	2x SFP (SX 1 GE)	
USB (Client/Server)	1/1	
System Performance and Capacity		
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)	16 / 16 / 16 Gbps	
Firewall Latency (64 byte, UDP)	7 µs	
Firewall Throughput (Packet per Second)	24 Mpps	
Concurrent Sessions (TCP)	3 Million	
New Sessions/Second (TCP)	70,000	
Firewall Policies	10,000	
IPsec VPN Throughput (512 byte)	8 Gbps	
Gateway-to-Gateway IPsec VPN Tunnels	2,000	
Client-to-Gateway IPsec VPN Tunnels	50,000	
SSL-VPN Throughput	1 Gbps	
Concurrent SSL-VPN Users (Recommended Maximum)	5,000	
IPS Throughput	4 Gbps	
Antivirus Throughput	1.3 Gbps	
CAPWAP Clear-text Throughput (HTTP)	4.5 Gbps	
Virtual Domains (Default / Maximum)	10 / 10	
Maximum Number of FortiAPs (Total / Tunnel)	1,024 / 512	
Maximum Number of FortiTokens	1,000	
Maximum Number of Registered FortiClients	2,000	
High Availability Configurations	Active-Active, Active-Passive, Clustering	
	~	

	FORTIGATE 600C
Dimensions and Power	
Height x Width x Length (inches)	1.8 x 17 x 16.4
Height x Width x Length (mm)	45 x 432 x 416
Weight	18.6 lbs (8.5 kg)
Rack Mountable	Yes
Power Consumption (Average / Maximum)	141 W / 223 W
Current (Maximum)	110V/5A, 220V/3A
AC Power Source (FG-600C)	100_240V AC 60_50Hz
DC Power Source (FG-600C-DC)	-48V DC (Normal)
Heat Dissipation	761 BTU/h
Redundant Power Supply (Hot-swappable)	Optional
Operating Environment and Certifications	
Operating Temperature	32-104°F (0-40°C)
Storage Temperature	-31–158°E (-35–70°C)
Humidity	20–90% non-condensing
Operating Altitude	Up to 7 400 ft (2 250 m)
Compliance	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN
Note: All performance values are "up to" and your depending an autom o	

Note: All performance values are "up to" and vary depending on system configuration. Antivirus performance is measured using 44 Kbyte HTTP files. IPS performance is measured using 1 Mbyte HTTP files. IPsec VPN performance is based on 512 byte UDP packets using AES-256+SHA. Antivirus Throughput is measured in proxy mode.

For complete, up-to-date and detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet.

ORDER INFORMATION

Product	SKU	Description
FortiGate 600C	FG-600C	16x GE RJ45 ports, 4x Shared Media pairs (including 4x GE RJ45 ports, 4x SFP slots), 2x GE RJ45 with Bypass Protection, 60 GB SSD onboard storage.
FortiGate 600C-DC	FG-600C-DC	16x GE RJ45 ports, 4x Shared Media pairs (including 4x GE RJ45 ports, 4x SFP slots), 2x GE RJ45 with Bypass Protection, 60 GB SSD onboard storage, with DC power supply.
Optional Accessories		
1 GE SFP LX Transceiver Module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+slots.
1 GE SFP SX Transceiver Module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.



GLOBAL HEADQUARTERS Fortinet Inc. 899 Kifer Road Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 120 rue Albert Caquot 06560, Sophia Antipolis, France Tel: +33.4.8987.0510

APAC SALES OFFICE 300 Beach Road 20-01 The Concourse Singapore 199555 Tel: +65.6513.3730

LATIN AMERICA SALES OFFICE Prol. Paseo de la Reforma 115 Int. 702 Col. Lomas de Santa Fe, C.P. 01219 Del. Alvaro Obregón México D.F. Tel: 011-52-(55) 5524-8480

Copyright 2015 Fortinet, Inc. All rights reserved. Fortinet@, FortiCate@ and FortiCate@, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics stated herein, Network variables, different network environments and to ther conditions may negatively affect performance ends and other metrics stated herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary and may be significantly less effective than the metrics stated herein. Network variables, different network environments and other conditions may negatively affect performance metrics and other metrics stated herein. Network variables, different network environments for comment the identified product will perform accomptito entra expressive variants that the identified product will perform and expressive durations that the identified product will perform and expressive and there expressive variants that the identified product will perform and expressive and other metrics expressive variants that the identified product will perform and expressive and other reserves wares the identified product will perform and expressive and there expressive variants that the identified product will perform and expressive and there expressive variants that the identified product will perform and expressive and there expressive variants that the identified product will perform and expressive and there expressive variants that the identified product will approximate and any such event on the same ideal conditions as in Fortinet's internal lab tests, and in no event will forther to responsible for events or issues that are outside of its reasonable control. Networkstanding anything anything anything overants, representations, and guarantees pursuant heretor, whether express or implied. Fortinet reserves the FST-PROD-DS-GT6H1