



#### FortiGate® 70D Series

Security Gateway for Distributed Branch Offices



# FortiGate 70D Series

FortiGate 70D and 70D-POE

The FortiGate 70D series is a compact, all-in-one security appliance that delivers Fortinet's Connected UTM. Ideal for remote, customer premise equipment (CPE) and retail networks, these appliances offer the network security, connectivity, and performance you need with attractive TCO.

#### **Advanced Protection**

You get advanced threat protection, including firewall, application control, advanced threat protection, IPS, VPN, and web filtering, all from one device that's easy to deploy and manage. With its comprehensive management console, remote provisioning and wide range of connectivity options, you have an easy-to-deploy, easy-to-manage solution that's great for a centrally-managed infrastructure.

Built on the foundation of the FortiASIC System on a Chip 2 (SoC2) and FortiOS 5, the FortiGate 70D series provides high performance firewall and VPN capabilities plus comprehensive complementary security technologies.

You'll also appreciate features like VDOMs for your distributed networks. VDOMs on the FortiGate 70D series let you segment networks to enable guest and employee access, or protect things like cardholder data to meet compliance standards like PCI and HIPAA.

## Highlights

	Firewall Performance	IPS Performance	Interfaces
70D	3.5 Gbps	275 Mbps	Multiple GE RJ45
70D-P0E	3.5 Gbps	275 Mbps	Multiple GE RJ45 and GE RJ45 PoE

#### Features & Benefits

- High Speed Firewall and VPN powered by FortiASIC<sup>™</sup> SoC2.
- Runs on FortiOS 5 the most powerful security operating system in the world delivers more security to fight advanced threats, more control to users and devices, and more intelligence to build secure policies.
- Simplify installations with FortiExplorer and Wizards.















#### **HARDWARE**

### FortiGate 70D





## FortiGate 70D-POE









#### Interfaces

- 1. Console Port
- 2. USB Management Port
- 3. 2x USB Ports
- 4. 14x GE RJ45 Switch Ports
- 5. 2x GE RJ45 WAN Ports

#### Interfaces

- 1. Console Port
- 2. USB Management Port
- 3. 2x USB Ports
- 4. 10x GE RJ45 Switch and 4x RJ45 PoE Ports
- 5. 2x GE RJ45 WAN Ports



## Powered by FortiASIC SoC2

- Combines a RISC-based CPU with Fortinet's proprietary FortiASIC™ content and network processors for unmatched performance.
- Simplifies appliance design and enables breakthrough performance for smaller networks.
- Supports firewall acceleration across all packet sizes for maximum throughput.
- Delivers accelerated UTM content processing for superior performance and protection.
- Accelerates VPN performance for high speed, secure remote access.

## Install in Minutes with FortiExplorer

The FortiExplorer™ wizard enables you to easily and quickly set up and configure FortiGate platforms with easy-to-follow instructions. The application runs on Windows, Mac OS X desktops and laptops as well as popular mobile devices. Simply connect to the appropriate USB port on the appliance and be fully protected in minutes.

#### 3G/4G WAN Connectivity

The FortiGate 70D series includes USB ports that allow you to plug in a compatible third-party 3G/4G USB modem, providing additional WAN connectivity or a redundant link for maximum reliability.

### Compact and Reliable Form Factor

Designed for small environments, you can place it on a desktop or wall-mount it. It is small, lightweight yet highly reliable with superior MTBF (Mean Time Between Failure), minimizing the chance of a network disruption.

2 www.fortinet.com

### SOFTWARE



FortiOS Managment UI — FortiView and Application Control Panel

#### **FortiOS**

FortiOS helps you protect your organization against advanced threats, configure and deploy your network security faster and see deep into what's happening inside your network. It enables organization to set up policies specific to types of devices, users and applications with industry-leading security capabilities. FortiOS leverages custom FortiASICs and the Optimum Path Processing architecture of FortiGate to deliver 5 times faster throughput performance. In essence, FortiOS delivers:

- Comprehensive Security Control thousands of applications and stop more threats with NSS Labs Recommended IPS. sandboxing, VB100 certified antimalware and more.
- Superior Control and Visibility Stay in control with rich visibility over network traffic, granular policy control, and intuitive, scalable security and network management.
- **Robust Networking Capabilities** Optimize your network with extensive switching and routing, high availability, WAN optimization, embedded WiFi controller, and a range of virtual options.



For more information, please refer to the FortiOS data sheet available at www.fortinet.com

## **SERVICES**


## FortiGuard™ Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations, other network and security vendors, as well as law enforcement agencies:

- **Real-time Updates** 24x7x365 Global Operations research security intelligence, distributed via Fortinet Distributed Network to all Fortinet platforms.
- **Security Research** FortiGuard Labs have discovered over 170 unique zero-day vulnerabilities to date, totaling millions of automated signature updates monthly.
- Validated Security Intelligence Based on FortiGuard validated by the world's leading third-party testing labs and customers globally.



For more information, please refer to http://forti.net/care



For more information, please refer to http://forti.net/guard

## FortiCare<sup>™</sup> Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East and Asia, FortiCare offers services to meet the needs of enterprises of all sizes:

- Enhanced Support For customers who need support during local business hours only.
- Comprehensive Support For customers who need aroundthe-clock mission critical support, including advanced exchange hardware replacement.
- **Premium Services** For global or regional customers who need an assigned Technical Account Manager, enhanced service level agreements, extended software support, priority escalation, on-site visits and more.
- **Professional Services** For customers with more complex security implementations that require architecture and design services, implementation and deployment services, operational services and more.

### **SPECIFICATIONS**

	FG-70D	FG-70D-P0E
Hardware Specifications		
GE RJ45 WAN Ports	2	2
GE RJ45 Switch Ports	14	10
GE RJ45 PoE Ports	_	4
USB Ports (Client / Server)	1/2	1/2
Console (RJ45)	1	1
System Performance		
Firewall Throughput (1518 / 512 / 64 byte UDP packets)	3.5 / 3.	5 / 3.5 Gbps
Firewall Latency (64 byte UDP packets)	4 μs	
Firewall Throughput (Packets Per Second)	5.3 Mpp	OS .
Concurrent Sessions (TCP)	2 Million	l
New Sessions/Second (TCP)	4,000	
Firewall Policies	5,000	
IPsec VPN Throughput (512 byte packets)	1 Gbps	
Gateway-to-Gateway IPsec VPN Tunnels	200	
Client-to-Gateway IPsec VPN Tunnels	1,000	
SSL-VPN Throughput	35 Mbp	S
Concurrent SSL-VPN Users (Recommended Maximum)	200	
IPS Throughput	275 Mb	ps
Antivirus Throughput	35 Mbp	S
CAPWAP Clear-text Throughput (HTTP)	210 Mb	ps
Virtual Domains (Default / Maximum)	10 / 10	
Maximum Number of FortiAPs (Total / Tunnel Mode)	32 / 16	
Maximum Number of FortiTokens	100	
Maximum Number of Registered FortiClients	200	
High Availability Configurations		ctive / Passive, Clustering

	FG-70D	FG-70D-P0E
Environment		
Power Required	er Required 100–240V AC, 50–60 Hz	
Maximum Current	110 V / 1.5 A, 220 V / 0.75 A	110 V / 2 A, 220 V / 1 A
Total Available PoE Power Budget*		
Power Consumption (Average / Maximum)	17 / 21 W	59 / 89 W
Heat Dissipation	72 BTU/h	303 BTU/h
Operating Temperature	32-104°F (0-40°C)	
Storage Temperature	-31-158°F (-35-70°C)	
Humidity	20–90% non-condensing	
Operating Altitude	Up to 7,400 ft (2,250 m)	
Compliance		
Regulatory Compliance	FCC Part 15 Class B, C-Tick, VCCI, CE, UL/cUL, CB	
Certifications		
	ICSA Labs: Firewall, IP:	sec, IPS, Antivirus, SSL-VPN
Dimensions		
Height x Width x Length (inches)	1.72 x 8.5 x	8.78
Height x Width x Length (mm)	44 x 216 x 2	23
Weight	3.5 lbs (1.6	kg)
Form Factor	Desktop	

Note: All performance values are "up to" and vary depending on system configuration. Antivirus performance is measured using 44 Kbyte HTTP fles. IPS performance is measured using 1 Mbyte HTTP fles. IPsec VPN performance is based on 512 byte UDP packets using AES-256+SHA1.

## ORDER INFORMATION

Product	SKU	Description
FortiGate 70D	FG-70D	16x GE RJ45 ports, (including 2x WAN ports, 14x Switch ports), Maximum managed FortiAPs (Total / Tunnel) 32 / 16.
FortiGate 70D-P0E	FG-70D-POE	16x GE RJ45 ports, (including 2x WAN ports, 10x Switch RJ45 ports, 4x RJ45 PoE ports), Maximum managed FortiAPs (Total / Tunnel) 32 / 16.



GLOBAL HEADQUARTERS Fortinet Inc. 899 Kifer Road Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 120 rue Albert Caquot 06560, Sophia Antipolis, France Tel: +33.4.8987.0510

APAC SALES OFFICE 300 Beach Road 20-01 The Concourse Singapore 199555 Tel: +65.6513.3730

LATIN AMERICA SALES OFFICE Prol. Paseo de la Reforma 115 Int. 702 Col. Lomas de Santa Fe, C.P. 01219 Del. Alvaro Obregón México D.F. Tel: 011-52-(55) 5524-8480

Copyright© 2015 Fortinet, Inc. All rights reserved. Forticate®, Forticate®, Forticate®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary and may be significantly lies effective than the metrics stated herein. Notifying herein network environments and other conditions may negatively affect performance results and other metrics stated herein. Notifying herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General coursed, with a previous expressly variants that the identified product will perform according to certain expressly-dentified in such binding only written contract and any such commitment shall be limited by the disclaimers in this paragraph and other limitations in the written contract. For absolute dairly, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests, and in no event will Fortine te responsible for events or issues that are outside of its reasonable control. Notivithistanting anything to the contrary, Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

FST-PROD-DS-FG70D

FG-70D-DAT-F84-201507

<sup>\*</sup>Maximum loading on each PoE port is 15.4 W (802.3af).