



FortiRPS™  
Redundant Power Supply



# FortiRPS


FortiRPS 100 and 740

## Redundant Power Supply

Power supply redundancy is essential in the operation of mission-critical networks. The FortiRPS 100 and 740 are an external redundant power supply designed to increase network availability and uptime. They provide power to supported Fortinet devices should the internal power supply fail. Supplying up to a total of 552 W and 1178 W of power respectively, the FortiRPS 100 and 740 deliver superior power supply redundancy and resiliency at an affordable price.



### Key Features

- Automatic failover delivers High Availability and increased network uptime
- Single rack unit (1 RU) form factor and LED indicators facilitate ease of use and simplifies deployment
- Cost-effective solution supports up to four devices





# HARDWARE

## FortiRPS 100



## FortiRPS 740



## SPECIFICATIONS

	FORTIRPS 100	FORTIRPS 740
<b>Dimensions and Power</b>		
Height x Width x Length (inches)	1.75 x 17.0 x 9.29	1.73 x 17.32 x 16.14
Height x Width x Length (mm)	44 x 432 x 236	44 x 440 x 410
Weight	9.5 lbs (4.4 kg)	14.33 lbs (6.5 kg)
Form Factor	1 RU	1 RU
AC Power Supply	100–240V AC, 50–60Hz, 5–2.5A	100–240V AC, 50–60Hz, 12V/14A, 54V/7.8A
Power Budget	552 W	1178 W
<b>Operating Environment</b>		
Operating Temperature	32–122°F (0–50°C)	32–122°F (0–50°C)
Storage Temperature	-4–158°F (-20–70°C)	-40–158°F (-40–70°C)
Humidity	20–85% non-condensing	5–95% non-condensing
Operating Altitude	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)
<b>Supported Devices</b>		
FortiGate	Up to 4 units: FG-310B, FG-300C Up to 2 units: FG-200B, FG-200D, FG-240D, FG-300D, FG-400D, FG-500D, FG-600D	—
FortiDDoS	Up to 2 units: FDD-200B, FDD-400B, FDD-800B	—
FortiSwitch	Up to 4 units: FS-348B, FS-448B	Up to 2 units: FS-124D-POE, FS-224D-FPOE, FS-248D-FPOE, FS-424D-FPOE
<b>Supplied Accessories</b>		
DC Power Cables	4	2
DC Cable Length	1000 mm	500 mm
AC Power Cables	2	2

## ORDER INFORMATION

Product	SKU	Description
FortiRPS 100	FRPS-100	Redundant AC power supply for supported devices, comes with 4x DC cables.
FortiRPS 740	FRPS-740	Redundant AC power supply for supported devices, comes with 2x DC cables.



GLOBAL HEADQUARTERS  
Fortinet Inc.  
899 Kifer Road  
Sunnyvale, CA 94086  
United States  
Tel: +1.408.235.7700  
[www.fortinet.com/sales](http://www.fortinet.com/sales)

EMEA SALES OFFICE  
120 rue Albert Caquot  
06560, Sophia Antipolis,  
France  
Tel: +33.4.8987.0510

APAC SALES OFFICE  
300 Beach Road 20-01  
The Concourse  
Singapore 199555  
Tel: +65.6513.3730

LATIN AMERICA SALES OFFICE  
Prol. Paseo de la Reforma 115 Int. 702  
Col. Lomas de Santa Fe,  
C.P. 01219  
Del. Alvaro Obregón  
México D.F.  
Tel: 011-52-(55) 5524-8480